Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	testlin same card\$4 same laminat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:23
L3	13115	card\$4 same laminat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:23
L4	15	testlin	US-PGPUB; USPAT;	OR .	OFF	2005/03/18 09:27
*:0	= (USOCR; EPO; JPO; DERWENT; IBM_TDB	7	· · · · · · · · · · · · · · · · · · ·	
L5	0	I3 and I4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:24
L6	0	I4 and card\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:24
L7	586	testlin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:25
L8	15	testlin\$4 and card\$1	US-PGPUB; USPAT;	OR	OFF	2005/03/18 09:26
			USOCR; EPO; JPO; DERWENT; IBM_TDB		20)	
L9	2	testlin\$4 and (identification near10 (card\$1 or tag\$1 or medium))	US-PGPUB; USPAT;	OR	OFF	2005/03/18 09:27
		(carage of medianity)	USOCR; EPO; JPO; DERWENT; IBM_TDB			·
L10	196	lens\$4 same actuator same m	USPAT	OR	OFF	2005/03/18 09:43

L11	959	lens\$4 same actuator same range\$1	USPAT	OR	OFF	2005/03/18 09:48
L12	13	l11 and 235/462.{d0:2}.ccls.	USPAT	OR ·	OFF	2005/03/18 09:43
L13	296	lens\$4 near25 actuator near25 range\$1	USPAT	OR	OFF	2005/03/18 09:50
L14	7	l13 and "235"/\$.ccls.	USPAT	OR	OFF	2005/03/18 09:49
L15	2	lens\$4 near25 actuator near25 range\$1 near25 micro	USPAT	OR	OFF	2005/03/18 09:50
L16	5	lens\$4 near25 actuator near25 micrometer\$1	USPAT	OR	OFF	2005/03/18 09:51
L17	46	lens\$4 same actuator same micrometer\$1	USPAT	OR	OFF	2005/03/18 09:53
L18	0	l17 and "235"/\$.ccls.	USPAT	OR	OFF	2005/03/18 09:51
L19	5	lens\$4 near40 actuator near40 micrometer\$1	USPAT	OR	OFF	2005/03/18 09:53
L20	0	("5870473.pn.").PN.	USPAT; USOCR	OR	OFF	2005/03/18 11:34
L21	1	("5870473").PN.	USPAT; USOCR	OR	OFF	2005/03/18 11:34

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	testlin same card\$4 same laminat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:23
L3	13115	card\$4 same laminat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:23
L4	15	testlin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:27
L5	0	I3 and I4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:24
L6	0	I4 and card\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:24
L7	586	testlin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:25
L8	15	testlin\$4 and card\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:26
L9	2	testlin\$4 and (identification near10 (card\$1 or tag\$1 or medium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 09:27
L10	196	lens\$4 same actuator same m	USPAT	OR	OFF	2005/03/18 09:43

L11	959	lens\$4 same actuator same range\$1	USPAT	OR	OFF	2005/03/18 09:48
L12	13	l11 and 235/462.{d0:2}.ccls.	USPAT	OR	OFF	2005/03/18 09:43
L13	296	lens\$4 near25 actuator near25 range\$1	USPAT	OR	OFF	2005/03/18 09:50
L14	7	l13 and "235"/\$.ccls.	USPAT	OR	OFF	2005/03/18 09:49
L15	2	lens\$4 near25 actuator near25 range\$1 near25 micro	USPAT	OR	OFF	2005/03/18 09:50
L16	5	lens\$4 near25 actuator near25 micrometer\$1	USPAT	OR	OFF	2005/03/18 09:51
L17	46	lens\$4 same actuator same micrometer\$1	USPAT	OR	OFF	2005/03/18 09:53
L18	0	l17 and "235"/\$.ccls.	USPAT	OR	OFF	2005/03/18 09:51
L19	5	lens\$4 near40 actuator near40 micrometer\$1	USPAT	OR	OFF	2005/03/18 09:53